Adamowicz, et al., "Nutritional complementation of oxidative glucose metabolism in the Enther-Doudoroff pathway," Appl Environ Microbiol, 57(7):2012-2015 (1991).  30. Alberty, "Calculation of Biochemical Net Reactions and Pathways by Using Matrix Operations," Biophys J. 71(1):507-515 (1996).  31. Alm, et al., "Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999).  32. Alon, et al., "Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S.A., 96(12):6745-6750 (1999).  33. Alter, et al., "Singular value decomposition for genome-wide expression data processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000).  34. Database Search Programs," Nucl Acids Res. 25(17):3389-3402 (1997).  35. Alter, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):334-547 (2000).  36. Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).  37. Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).  38. Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).  39. Attaoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).  40. Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).  41. Bailey, "L and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).  43. Bail, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):45-48 (2000).  44. Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequenc		
<ul> <li>Operations," Biophys J, 71(1):507-515 (1996).</li> <li>Alm, et al., "Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999).</li> <li>Alon, et al., "Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S.A., 96(12):6745-6750 (1999).</li> <li>Altor, et al., "Singular value decomposition for genome-wide expression data processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000).</li> <li>Altschul, et al., "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res., 25(17):3389-3402 (1997).</li> <li>Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000).</li> <li>Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).</li> <li>Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).</li> <li>Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).</li> <li>Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweller, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil c</li></ul>	29.	the Entner-Doudoroff pathway," Appl Environ Microbiol, 57(7):2012-2015 (1991).
Alon, et al., "Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S.A., 96(12):6745-6750 (1999).  33. Alter, et al., "Singular value decomposition for genome-wide expression data processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000).  Altschul, et al., "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997).  Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000).  Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).  37. Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).  38. Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).  39. Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).  40. Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).  41. Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).  42. Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).  43. Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).  44. Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).  45. Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2	30.	Operations," <u>Biophys J</u> , 71(1):507-515 (1996).
<ul> <li>and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S.A., 96(12):6745-6750 (1999).</li> <li>Alter, et al., "Singular value decomposition for genome-wide expression data processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000).</li> <li>Altschul, et al., "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997).</li> <li>Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000).</li> <li>Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).</li> <li>Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).</li> <li>Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).</li> <li>Attanoos, et al., "Elostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).</li> <li>Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bailey, TL, and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bailey, TL, and Gribskov, M, "Combining evidence usi</li></ul>	31.	
<ul> <li>processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000).</li> <li>Altschul, et al., "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997).</li> <li>Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000).</li> <li>Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).</li> <li>Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).</li> <li>Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).</li> <li>Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).</li> <li>Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bailey, TL and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pa</li></ul>	32.	and normal colon tissues probed by oligonucleotide arrays," <u>Proc Natl Acad Sci U.S.A.</u> , 96(12):6745-6750 (1999).
Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997).  Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000).  36. Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).  37. Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).  38. Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).  39. Attanoos, et al., "Cloostruction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).  40. Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).  41. Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).  42. Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).  43. Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).  44. Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).  45. Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).  46. Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).  Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).  48. Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).  49. Beavanis, "The Molecular Biology Database	33.	
<ul> <li>graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000).</li> <li>Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995).</li> <li>Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).</li> <li>Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).</li> <li>Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).</li> <li>Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et</li></ul>	34.	Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997).
<ul> <li>Yeast, 11(16):1575-1611 (1995).</li> <li>Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).</li> <li>Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).</li> <li>Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).</li> <li>Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	35.	graphical and statistical methods to simple unbranched pathways," Bioinformatics,
Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).  Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).  Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).  Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).  Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).  Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).  Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).  Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).  Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).  Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).  Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).  Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).	36.	<u>Yeast</u> , 11(16):1575-1611 (1995).
<ul> <li>example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).</li> <li>Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).</li> <li>Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	37.	Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).
<ul> <li>844 (1995).</li> <li>Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	38.	
<ul> <li>mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006).</li> <li>Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001).</li> <li>Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	39.	844 (1995).
<ul> <li>41. (2001).</li> <li>42. Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>43. Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>44. Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>45. Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>46. Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>47. Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>48. Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>49. Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>50. Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	40.	
<ul> <li>discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994).</li> <li>Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	41.	, , , , , , , , , , , , , , , , , , , ,
<ul> <li>sequence homology searches," Bioinformatics, 14(1):48-54 (1998).</li> <li>Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	42.	
<ul> <li>supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).</li> <li>Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000).</li> <li>Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	43.	
genome database," Nucleic Acids Res, 28(1):77-80 (2000).  Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972).  Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001).  Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," Lipids, 12(8):645-654 (1977).  Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).  Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"	44.	supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000).
<ul> <li>73(2):267-272 (1972).</li> <li>Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," <u>Bioinformatics and Bioengineering Conference</u>, 209-216 (2001).</li> <li>Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," <u>Lipids</u>, 12(8):645-654 (1977).</li> <li>Baxevanis, "The Molecular Biology Database Collection: 2002 update," <u>Nucleic Acids Res</u>, 30:1-12 (2002).</li> <li>Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	45.	genome database," Nucleic Acids Res, 28(1):77-80 (2000).
<ul> <li>47. automate reconstruction of microbial pathways," <u>Bioinformatics and Bioengineering Conference</u>, 209-216 (2001).</li> <li>48. Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses," <u>Lipids</u>, 12(8):645-654 (1977).</li> <li>49. Baxevanis, "The Molecular Biology Database Collection: 2002 update," <u>Nucleic Acids Res</u>, 30:1-12 (2002).</li> <li>50. Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"</li> </ul>	46.	73(2):267-272 (1972).
Lipids, 12(8):645-654 (1977).  Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acids Res, 30:1-12 (2002).  Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"	47.	automate reconstruction of microbial pathways," <u>Bioinformatics and Bioengineering</u> <u>Conference</u> , 209-216 (2001).
Res, 30:1-12 (2002).  Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"	48.	<u>Lipids</u> , 12(8):645-654 (1977).
Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"	49.	
	50.	Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks,"

	· · · · · · · · · · · · · · · · · · ·
51.	Beckers, et al., "Large-Scale Mutational Analysis for the Annotation of the Mouse Genome," Curr Opin Chem Biol, 6(1)17-23 (2002).
52.	Bell, et al., "Composition and functional analysis of the Saccharomyces cerevisiae trehalose synthase complex," J Biol Chem., 273(50):33311-33319 (1998).
53.	Benson, et al., "GenBank," Nucleic Acids Res, 28(1):15-18 (2000).
54.	Berry, "Improving production of aromatic compounds in Escherichia coli by metabolic engineering," Trends Biotechnol, 14(7):250-256 (1996).
55.	Bialy, "Living on the Edges," Nat Biotechnol, 19(2):111-112 (2001).
56.	Bianchi, P, and Zanella, A, "Hematologically Important Mutations: Red Cell Pyruvate Kinase (Third Update)," <u>Blood Cells, Molecules, and Diseases</u> , 15:47-53 (2000).
57.	Biaudet, et al., "Micado – a network-oriented database for microbial genomes," Comput Appl Biosci, 13(4):431-438 (1997).
58.	Birkholz, "Fumarate reductase of Helicobacter pylorian immunogenic protein," <u>J Med Microbiol</u> , 41(1):56-62 (1994).
59.	Birner, et al., "Roles of phosphatidylethanolamine and of its several biosynthetic pathways in Saccharomyces cerevisiae," Mol Biol Cell, 12(4):997-1007 (2001).
60.	Blackstock, WP and Weir, MP, "Proteomics: quantitative and physical mapping of cellular proteins," Trends Biotechnol, 17(3):121-127 (1999).
61.	BMES/EMBS Conference, Proceedings of the First Joint, Vol. 2, p. 1217 (1999).
62.	Bochner, "New technologies to assess genotype-phenotype relationships," <u>Nat Rev</u> <u>Genet</u> , 4(4):309-314 (2003).
63.	Boles, E, et al., "Identification and characterization of MAE 1, the <i>Saccharomyces cerevisiae</i> structural gene encoding mitochondrial malic enzyme," <u>J Bacteriol.</u> , 180(11):2875-2882 (1998).
64.	Boles, et al., "A family of hexosephosphate mutases in <i>Saccharomyces cerevisia</i> ," Eur J Biochem, 220(1):83-96 (1994).
65.	Boles, et al.; "Characterization of a glucose-repressed pyruvate kinase (Pyk2p) in Saccharomyces cerevisiae that is catalytically insensitive to fructose-1,6-bisphosphate," J Bacteriol, 179(9):2987-2993 (1997).
66.	Bonarius, et al., "Metabolic flux analysis of hybridoma cells in different culture media using mass balances," Biotechnol Bioeng, 50(3):299-318 (1996).
67.	Bono, et al., "Reconstruction of amino acid biosynthesis pathways from the complete genome sequence," Genome Research, 8(3):203-210 (1998).
68.	Bottomley, et al., "Cloning, sequencing, expression, purification and preliminary characterization of a type II dehydroquinase from Helicobacter pylori," <u>Biochem. J</u> , 319(Pt 2):559-565 (1996).
69.	Bourot, S and Karst, F, "Isolation and characterization of the Saccharomyces cerevisiae SUT1 gene involved in sterol uptake," <u>Gene</u> , 165(1):97-102 (1995).
70.	Burgard, AP and Maranas, CD, "Probing the Performance Limits of the Escherichia coli Metabolic Network Subject to Gene Additions or Deletions," <u>Biotechnol Bioeng</u> , 74(5):364-375 (2001).
71.	Burgard, AP and Maranas, CD, "Review of the Enzymes and Metabolic Pathways (EMP) Database," Metab Eng, 3(3):193-194(2) (2001).
72.	Burgard, et al., "Minimal reaction sets for Escherichia coli metabolism under different growth requirements and uptake environments," <u>Biotechnol Prog</u> , 17(5):791-797 (2001).

	Demondrated (Continued to 1.1)
73.	Burgard, et al., "Optknock: a bilevel programming framework for identifying gene knockout strategies for microbial strain optimization," <u>Biotechnol Bioeng</u> , 84(6):647-657 (2003).
74.	Burns, "Acetyl-CoA carboxylase activity in Helicobacter pylori and the requirement of increased CO2 for growth," Microbiology, 141(Pt 12):3113-3118 (1995).
75.	
76.	
77.	Chalker, et al., "Systematic identification of selective essential genes in Helicobacter pylori by genome prioritization and allelic replacement mutagenesis," <u>J Bacteriol</u> , 183(4):1259-1268 (2001).
78.	Chen, et al., "Characterization of the respiratory chain of Helicobacter pylori," <u>FEMS</u> Immunol Med Microbiol, 24(2):169-174 (1999).
79.	Cherry, et al., "SGD: Saccharomyces Genome Database," <u>Nucleic Acids Res</u> , 26(1):73-79 (1998).
80.	
81.	Ciriacy, M and Breitenbach, I, "Physiological effects of seven different blocks in glycolysis in Saccharomyces cerevisiae," <u>J Bacteriol</u> , 139(1):152-160 (1979).
82.	Clarke, "Complete set of steady states for the general stoichiometric dynamical system," <u>J Chem Phys</u> , 75(10):4970-4979 (1981).
83.	Clarke, "Stoichiometric network analysis," Cell Biophys, 12:237-253 (1988).
84.	
85.	Clifton, D and Fraenkel, DG, "Mutant studies of yeast phosphofructokinase.,"  Biochemistry, 21(8):1935-1942 (1982).
86.	Clifton, et al., "Glycolysis mutants in Saccharomyces cerevisiae.," Genetics, 88(1):1-11 (1978).
87.	Compan, I and Touati, D, et al., "Anaerobic activation of arcA transcription in Escherichia coli: roles of Fnr and ArcA," Mol Microbiol, 11(5):955-964 (1994).
88.	Costanzo, et al., "YPD, PombePD and WormPD: model organism volumes of the BioKnowledge library, an integrated resource for protein information," <u>Nucleic Acids</u> Res, 29(1):75-9 (2001).
89.	Cotter, et al., "Aerobic regulation of cytochrome d oxidase (cydAB) operon expression in Escherichia coli: roles of Fnr and ArcA in repression and activation," Mol Microbiol, 25(3):605-615 (1997).
90.	
91.	Covert, et al., "Metabolic Modeling of Microbial Strains In Silico," Trends Biochem Sci, 26(3):179-186 (2001).
92.	Covert, et al., "Regulation of Gene Expression in Flux Balance Models of Metabolism," J Theor Biol, 213(1):73-88 (2001).
93.	Covert, MW and Palsson, BO, "Constraints-based models: Regulation of Gene Expression Reduces the Steady-state Solution Space," J Theor Biol, 216 (2003).
94.	Covert, MW and Palsson, BO, "Transcriptional Regulation in Constraints-based Metabolic Models of Escherichia coli," <u>J Biol Chem</u> , 277(31):28058-28064 (2002).
95.	Cupp, JR and McAlister-Henn, L, "Cloning and Characterization of the gene encoding the IDH1 subunit of NAD(+)-dependent isocitrate dehydrogenase from <i>Saccharomyces cerevisiae</i> ," J Biol Chem, 267(23):16417-16423 (1992).
96.	D'Haeseleer, et al., "Genetic network inference: from co-expression clustering to reverse engineering," <u>Bioinformatics</u> , 16(8):707-726 (2000).

97.	Danchin, "Comparison Between the Escherichia coli and Bacillus subtilis Genomes Suggests That a Major Function of Polynucleotide Phosphorylase is to Synthesize CDP," <u>DNA Research</u> , 4(1):9-18 (1997).
98.	Dandekar, et al., "Pathway Alignment: Application to the Comparative Analysis of Glycolytic Enzymes," <u>Biochem J</u> , 343(Pt 1):115-124 (1999).
99.	Dantigny, et al., "A new control strategy for yeast production based on the L/A* approach," <u>Appl Microbiol Biotechnol</u> , 36:352-357 (1991).
100.	Datsenko, KA and Wanner, BL, "One-step inactivation of chromosomal genes in <i>Escherichia coli</i> K-12 using PCR products," <u>Proc Natl Acad Sci U.S.A.</u> , 97(12):6640-6645 (2000).
101.	Daum, et al., "Biochemistry, cell biology and molecular biology of lipids of Saccharomyces cerevisiae," Yeast, 14(16):1471-1510 (1998).
102.	Daum, et al., "Systematic analysis of yeast strains with possible defects in lipid metabolism," Yeast, 15(7):601-614 (1999).
103.	Dauner, et al., "Bacillus subtilis Metabolism and Energetics in Carbon-Limited and Excess-Carbon Chemostat Culture," <u>J Bacteriol</u> , 183(24):7308-7317 (2001).
104.	Dauner, et al., "Metabolic Flux Analysis with a Comprehensive Isotopomer Model in <i>Bacillus subtilis</i> ," <u>Biotechnol Bioeng</u> , 76(2):144-156 (2001).
105.	Dauner, M and Sauer, U, "Stoichiometric Growth Model for Riboflavin-Producing <i>Bacillus subtilis</i> ," <u>Biotechnol Bioeng</u> , 76(1):132-143 (2001).
106.	de Jong, H., "Modeling and simulation of genetic regulatory systems: a literature review," <u>J Comput Biol</u> , 9(1):67-103 (2002).
107.	De Reuse, et al., "The Helicobacter pylori ureC gene codes for a phosphoglucosamine mutase," <u>J Bacteriol</u> , 179(11):3488-3493 (1997).
108.	Delgado and Liao, "Identifying Rate-Controlling Enzymes in Metabolic Pathways without Kinetic Parameters," <u>Biotechnol Prog</u> , 7:15-20 (1991).
109.	Demain, et al., "Cellulase, clostridia, and ethanol," <u>Microbiol Mol Biol Rev</u> , 69(1):124-154 (2005).
110.	Department of Energy, Breaking the Biological Barriers to Cellulosic Ethanol (2006).
111.	DeRisi, et al., "Exploring the Metabolic and Genetic Control of Gene Expression on a Genomic Scale," Science, 278(5338):680-686 (1997).
112.	Devine, KM, "The <i>Bacillus subtilis</i> Genome Project: Aims and Progress," <u>Trends</u> <u>Biotechnol</u> , 13(6):210-216 (1995).
113.	Dickson, "Sphingolipid Functions in Sacchoromyces Cerevisiae: Comparison to Mammals," Annu Rev Biochem, 67:27-48 (1998).
114.	Dickson, et al., "Serine palmitoyltransferase," Methods Enzymol, 311:3-9 (2000).
	DiRusso, CC and Black, PN, "Long-chain fatty acid transport in bacteria and yeast.
115.	Paradigms for defining the mechanism underlying this protein-mediated process," Mol Cell Biochem, 192(1-2):41-52 (1999).
116.	
117.	Edwards, et al., "Characterizing the Metabolic Phenotype: A Phenotype Phase Plane Analysis," <u>Biotech Bioeng</u> , 77(1):27-36 (2002).
118.	Edwards, et al., "In Silico Predictions of Escherichia coli metabolic capabilities are Consistent with Experimental Data," Nat Biotechnol, 19(2):125-130 (2001).
119.	Edwards, JS and Palsson, BO, "Robustness analysis of the Escherichia coli metabolic network," <u>Biotechnol Prog</u> , 16(6):927-939 (2000).

Edwards, JS, and Palsson, BO, "Metabolic flux balance analysis and the in silico analysis of Escherichia colia K-12 gene deletions," BMC Bioinformatics, 1:1-10
(2000).
Eisen, et al., "Cluster analysis and display of genome-wide expression patterns," <u>Proc</u> Natl Acad Sci U.S.A., 95:14863-14868 (1998).
Eisenberg, et al., "Protein Function in the Post-Genomic Era," Nature, 405(6788):823-826 (2000).
Ermolaeva, et al., "Prediction of Operons in Microbial Genomes," <u>Nucl Acids</u> Research, 29(5):1216-1221 (2001).
Fiehn, "Metabolomicsthe link between genotypes and phenotypes," Plant Mol Biol, 48(1-2):155-171 (2002).
Finel, "Does NADH play a central role in energy metabolism in Helicobacter pylori?," Trends Biochem Sci, 23(11):412-413 (1998).
Fiorelli, et al., "Chronic non-spherocytic haemolytic disorders associated with glucose-6-phosphate dehydrogenase variants," <u>Bailliere's Clinical Haematology</u> , 13:39-55 (2000).
Flikweert, et al., "Pyruvate decarboxylase: an indispensable enzyme for growth of Saccharomyces cerevisiae on glucose.," Yeast, 12(3):247-257 (1996).
Forst, "Network genomics A Novel approach for the analysis of biological systems in the post-genomic era," Molecular Biology Reports, 29(3):265-280 (2002).
Forster, et al., "Large-scale evaluation of in silico gene deletions in Saccharomyces cerevisiae," Omics, 7(2)193-202 (2003).
Fraenkel, "The accumulation of glucose 6-phosphate from glucose and its effect in an Escherichia coli mutant lacking phosphoglucose isomerase and glucose 6-phosphate dehydrogenase," J Biol Chem, 243(24):6451-6457 (1968).
Fraser, et al., "Microbial genome sequencing," Nature, 406:799-803 (2000).
Fromont-Racine, et al., "Toward a functional analysis of the yeast genome through exhaustive two-hybrid screens," Nat Genet, 16(3):277-282 (1997).
Fukuchi, et al., "Isolation, overexpression and disruption of a Saccharomyces cerevisiae YNK gene encoding nucleoside diphosphate kinase," Genes, 129(1):141-146 (1993).
Gaasterland, T. and Selkov, E., "Reconstruction of Metabolic Networks Using Incomplete Information," Proc Int Conf Intell Syst Mol Biol, 3:127-135 (1995).
Gancedo, C and Delgado, MA, "Isolation and characterization of a mutant from Saccharomyces cerevisiae lacking fructose 1,6-bisphosphatase," Eur J Biochem, 139:651-655 (1984).
Gangloff, et al., "Molecular cloning of the yeast mitochondrial aconitase gene (ACO1) and evidence of a synergistic regulation of expression by glucose plus glutamate.," Mol Cell Biol, 10(7):3551-3561 (1990).
Glasner, et al., "ASAP, a systematic annotation package for community analysis of genomes," Nucleic Acids Res, 31(1):147-151 (2003).
Goffeau, A, "Four years of post-genomic life with 6000 yeast genes," <u>FEBS Lett</u> , 480(1):37-41 (2000).
Goryanin, et al., "Mathematical simulation and analysis of cellular metabolism and regulation," Bioinformatics, 15(9):749-758 (1999).

143.	Goto, et al., "LIGAND database for enzymes, compounds and reactions," <u>Nucleic Acids Res</u> , 27(1):377-379 (1999).
144.	Goto, et al., "LIGAND: chemical database for enzyme reactions," <u>Bioinformatics</u> , 14(7):591-599 (1998).
145.	Grewal, et al., "Computer Modelling of the Interaction Between Human Choriogonadotropin and Its Receptor," <u>Protein Engineering</u> , 7(2):205-211 (1994).
146.	Griffin, et al., "Complementary profiling of gene expression at the transcriptome and proteome levels in Saccharomyces cerevisiae," Mol Cell Proteomics, 1:323-333 (2002).
147.	Grundy, et al., "Regulation of the Bacillus subtilis acetate kinase gene by CcpA."  J Bacteriol, 175(22):7348-7355 (1993).
148.	Guelzim, et al., "Topological and causal structure of the yeast transcriptional regulatory network," Nat Genet, 31(1):60-63 (2002).
149.	Guetsova, et al., "The isolation and characterization of Saccharomyces cerevisiae mutants that constitutively express purine biosynthetic genes," Genetics, 147(2):383-397 (1997).
150.	
151.	Hardison, et al., "Globin Gene Server: A Prototype E-Mail Database Server Featuring Extensive Multiple Alignments and Data Compilation for Electronic Genetic Analysis," Genomics, 21(2):344-353 (1994).
152.	Hartig, et al., "Differentially regulated malate synthase genes participate in carbon and nitrogen metabolism of S. cerevisiae.," <u>Nucleic Acids Res</u> , 20(21):5677-5686 (1992).
153.	Hasty, et al., "Computational Studies of Gene Regulatory Networks: <i>In Numero</i> Molecular Biology," <u>Nat Rev Genet</u> , 2(4):268-279 (2001).
154.	Hata, et al., "Characterization of a Saccharomyces cerevisiae mutant, N22, defective in ergosterol synthesis and preparation of [28-14C]ergosta-5,7-dien-3 beta-ol with the mutant," J Biochem, 94(2):501-510 (1983).
155.	Hatzimanikatis, et al., "Analysis and Design of Metabolic Reaction Networks Via Mixed-Interger linear Optimization," <u>AIChE Journal</u> , 42(5):1277-1292 (1996).
156.	Hazell, et al., "How Helicobacter pylori works: an overview of the metabolism of Helicobacter pylori," Helicobacter, 2(1):1-12 (1997).
157.	Heijnen, et al., "Application of balancing methods in modeling the penicillin fermentation," Biotechnology & Bioeng., 21:2175-2201 (1979).
158.	Heinisch, et al., "Investigation of two yeast genes encoding putative isoenzymes of phosphoglycerate mutase.," Yeast, 14(3):203-213 (1998).
159.	Heinrich, et al., "Metabolic regulation and mathematical models," <u>Prog Biophys Mol Biol</u> , 32(1):1-82 (1977).
160.	Heinrich, et al., "Stoichiometric Analysis," <u>The Regulation of Cellular Systems</u> , xix:75-111 and 372, Chapman & Hall, New York (1996).
161.	Henriksen, et al., "Growth energetics and metabolism fluxes in continuous cultures of <i>Penicillium chrysogenum</i> ," J of Biotechnol, 45(2):149-164 (1996).
162.	Heyer, et al., "Exploring expression data: identification and analysis of coexpressed genes," Genome Res, 9(11):1106-1115 (1999).
163.	Holter, et al., "Dynamic modeling of gene expression data," <u>Proc Natl Acad Sci U.S.A.</u> , 98(4):1693-1698 (2001).
164.	Holter, et al., "Fundamental patterns underlying gene expression profiles: simplicity from complexity," Proc Natl Acad Sci U.S.A., 97:8409-9414 (2000).
165.	Houghten, "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discovery," Nature, 354(6348):84-86 (1991).

Hughes, et al., "Functional discovery via a compendium of expression profiles," Cell, 102(1):109-126 (2000).  Hughes, et al., "Helicobacter pylori porCDAB and oorDABC genes encode distinct pyrruvate: flavodoxin and 2-oxoglutarate:acceptor oxidoreductases which mediate electron transport to NADP," J Bacteriol, 180(5):1119-1128 (1998).  168. Ideker, et al., "Integrated Genomic and Proteomic Analyses of a Systematically Perturbed Metabolic Network," Science, 292(5518):929-934 (2001).  169. Ince, JE and Knowles, CI, "Ethylene formation by cell-free extracts of Escherichia coli," Arch Microbiol, 146(2):151-158 (1986).  170. Ishii, et al., "DBTBS: a database of Bacillus subtilis promoters and transcription factors," Nucleic Acids Res, 29(1):278-280 (2001).  171. Ilyer, et al., "Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF," Nature, 409(6819):533-538 (2001).  172. Jamshidi, et al., "Dynamic simulation of the human red blood cell metabolic network," Bioinformatics, 17(3):286-287 (2001).  173. Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).  174. John St., and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J Bacteriol, 169(1):42-52 (1987).  175. Josni, A. and Palsson," Nat Genet, 28(1):21-28 (2001).  176. Jorgensen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).  176. Josni, A. and Palsson, BO, "Metabolic dynamics in the human red cell. Part I.—A comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).  177. Joshi, A. and Palsson, BO, "Metabolic dynamics in the human red cell. Part I.—A comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).  178. Karp, et al., ""Integrated pathway-genome databased of Genes and Genomes database (KEGG)," Nucleic Acids		
pyruvate: flavodoxin and 2-oxoglutarate:acceptor oxidoreductases which mediate electron transport to NADP," J Bacteriol, 180(5):1119-1128 (1998).  Ideker, et al., "Integrated Genomic and Proteomic Analyses of a Systematically Perturbed Metabolic Network," Science, 292(5518):929-934 (2001).  Ince, JE and Knowles, CJ, "Ethylene formation by cell-free extracts of Escherichia coli," Arch Microbiol, 146(2):151-158 (1986).  Ince, JE and Knowles, CJ, "Ethylene formation by cell-free extracts of Escherichia coli," Arch Microbiol, 146(2):151-158 (1986).  Ishii, et al., "DBTBS: a database of Bacillus subtilis promoters and transcription factors," Nucleic Acids Res, 29(1):278-280 (2001).  Iyer, et al., "Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF," Nature, 409(6819):533-538 (2001).  Jamshidi, et al., "Dynamic simulation of the human red blood cell metabolic network," Bioinformatics, 17(3):286-287 (2001).  Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).  Jenkins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J Bacteriol, 169(1):42-52 (1987).  Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).  Jorgensen, et al., "Metabolic flux distributions in Penicillium chrysogenum during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).  Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part 1A comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).  Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).  Karp, An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).  Karp, et al., "Geo Cy	166.	
168. Perturbed Metabolic Network," Science, 292(5518):929-934 (2001).  169. Ince, JE and Knowles, CJ, "Ethylene formation by cell-free extracts of Escherichia coli," Arch Microbiol, 146(2):151-158 (1986).  170. Ishii, et al., "DBTBS: a database of Bacillus subtilis promoters and transcription factors," Nucleic Acids Res, 29(1):278-280 (2001).  171. Iyer, et al., "Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF," Nature, 409(6819):533-538 (2001).  172. Jamshidi, et al., "Dynamic simulation of the human red blood cell metabolic network," Bioinformatics, 17(3):286-287 (2001).  173. Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).  174. Jenskins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J. Bacteriol, 169(1):42-52 (1987).  175. Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).  176. Jorgensen, et al., "Metabolic flux distributions in Penicillium chrysogenum during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).  177. Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).  178. Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).  180. Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).  181. Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-528 (1999).  182. Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).  183. Karp, et al., "An ethanologenic yeast ex	167.	pyruvate: flavodoxin and 2-oxoglutarate:acceptor oxidoreductases which mediate
coli," Arch Microbiol, 146(2):151-158 (1986).  Ishii, et al., "DBTBS: a database of Bacillus subtilis promoters and transcription factors," Nucleic Acids Res, 29(1):278-280 (2001).  Iyer, et al., "Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF," Nature. 409(6819):533-538 (2001).  Jamshidi, et al., "Dynamic simulation of the human red blood cell metabolic network," Bioinformatics, 17(3):286-287 (2001).  Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).  Jenkins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J Bacteriol, 169(1):42-52 (1987).  Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).  Jorgensen, et al., "Metabolic flux distributions in Penicillium chrysogenum during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).  Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).  Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).  Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).  Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).  Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).  Karp, et al., "An other unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate; quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Bio	168.	
factors," Nucleic Acids Res, 29(1):278-280 (2001).  171.	169.	coli," Arch Microbiol, 146(2):151-158 (1986).
<ul> <li>MBF," Nature, 409(6819):533-538 (2001).</li> <li>Jamshidi, et al., "Dynamic simulation of the human red blood cell metabolic network," Bioinformatics, 17(3):286-287 (2001).</li> <li>Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).</li> <li>Jenkins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J. Bacteriol, 169(1):42-52 (1987).</li> <li>Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).</li> <li>Jorgensen, et al., "Metabolic flux distributions in Penicillium chrysogenum during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).</li> <li>Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).</li> <li>Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).</li> <li>Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>Karp, et al., "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <l< td=""><td>170.</td><td>factors," Nucleic Acids Res, 29(1):278-280 (2001).</td></l<></ul>	170.	factors," Nucleic Acids Res, 29(1):278-280 (2001).
<ul> <li>Bioinformatics, 17(3):286-287 (2001).</li> <li>Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).</li> <li>Jenkins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J. Bacteriol, 169(1):42-52 (1987).</li> <li>Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).</li> <li>Jorgensen, et al., "Metabolic flux distributions in Penicillium chrysogenum during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).</li> <li>Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).</li> <li>Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).</li> <li>Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).</li> <li>Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, e</li></ul>	171.	MBF," Nature, 409(6819):533-538 (2001).
<ul> <li>polymorphins (SNPs) on human red blood cell-metabolism," Genome Research, 12(11):1687-1692 (2002).</li> <li>Jenkins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J. Bacteriol, 169(1):42-52 (1987).</li> <li>Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).</li> <li>Jorgensen, et al., "Metabolic flux distributions in Penicillium chrysogenum during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).</li> <li>Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).</li> <li>Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).</li> <li>Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	172.	Bioinformatics, 17(3):286-287 (2001).
<ul> <li>involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J Bacteriol, 169(1):42-52 (1987).</li> <li>Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).</li> <li>Jorgensen, et al., "Metabolic flux distributions in <i>Penicillium chrysogenum</i> during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).</li> <li>Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).</li> <li>Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).</li> <li>Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).</li> <li>Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	173.	polymorphins (SNPs) on human red blood cell-metabolism," <u>Genome Research</u> , 12(11):1687-1692 (2002).
<ul> <li>of Gene Expression," Nat Genet, 28(1):21-28 (2001).</li> <li>Jorgensen, et al., "Metabolic flux distributions in <i>Penicillium chrysogenum</i> during fedbatch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).</li> <li>Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).</li> <li>Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).</li> <li>Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).</li> <li>Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	174.	involved in short-chain fatty acid degradation in Escherichia coli: the ato system," <u>J</u>
batch cultivations." Biotechnol Bioeng, 46(2):117-131 (1995).  Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part IA comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).  Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).  Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).  Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).  Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).  Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).  Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).  Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).  Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).	175.	
<ul> <li>comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).</li> <li>Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).</li> <li>Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).</li> <li>Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	176.	
Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).  Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).  Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).  Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).  Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).  Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).  Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).  Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).	177.	
<ul> <li>(KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).</li> <li>180. Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).</li> <li>181. Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).</li> <li>182. Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>183. Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>184. Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>185. Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>186. fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	178.	Networks," Briefings in Bioinformatics, 2(3):223-232 (2001).
Bioinformatics, 16(3):269-285 (2000).  181. Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res, 27(1):55-58 (1999).  182. Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).  183. Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).  184. Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).  185. Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).	179.	(KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).
<ul> <li>Nucleic Acids Res, 27(1):55-58 (1999).</li> <li>Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).</li> <li>Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.," Trends Biotechnol, 17(7):275-281 (1999).</li> <li>Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).</li> <li>Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	180.	Bioinformatics, 16(3):269-285 (2000).
pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol, 4:116-124 (1996).  Karp, et al., "Integrated pathway-genome databases and their role in drug discovery.,"  Trends Biotechnol, 17(7):275-281 (1999).  Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).  Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).	181.	<u>Nucleic Acids Res</u> , 27(1):55-58 (1999).
Trends Biotechnol, 17(7):275-281 (1999).  Karp, et al., "The EcoCyc and MetaCyc databases," Nucleic Acids Resarch, 28(1):56-59 (2000).  Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).	182.	
<ul> <li>184. 59 (2000).</li> <li>185. Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J Bacteriol, 182(11):3204-3209 (2000).</li> <li>Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-244 (2004).</li> </ul>	183.	<u>Trends Biotechnol</u> , 17(7):275-281 (1999).
the malate:quinone oxidoreductase," <u>J Bacteriol</u> , 182(11):3204-3209 (2000).  Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," <u>J Ind Microbiol Biotechnol</u> , 31(5):235-244 (2004).	184.	59 (2000).
186. fermentation of lignocellulosic hexose sugars," <u>J Ind Microbiol Biotechnol</u> , 31(5):235-244 (2004).	185.	the malate:quinone oxidoreductase," <u>J Bacteriol</u> , 182(11):3204-3209 (2000).
187.	186.	fermentation of lignocellulosic hexose sugars," J Ind Microbiol Biotechnol, 31(5):235-
	187.	

188.	Kim, et al., "Saccharomyces cerevisiae contains two functional citrate synthase genes.," Mol Cell Biol, 6(6):1936-1942 (1986).
189.	Kirkman, et al., "Red cell NADP+ and NADPH in glucose-6-phosphate dehydrogenase deficiency," <u>Journal of Clinical Investigation</u> , 55(4):875-878 (1975).
190.	Kremling, et al., "The organization of metabolic reaction networks. III. Application for diauxic growth on glucose and lactose," Metab Eng, 3(4):362-379 (2001).
191.	Kunst, et al., "The Complete Genome Sequence of the Gram-positive Bacterium Bacillus subtilus," Nature, 390(6557):249-256 (1997).
192.	Lacroute, "Regulation of pyrimidine biosynthesis in Saccharomyces cerevisiae" <u>J</u> <u>Bacteriol</u> , 95(3):824-832 (1968).
193.	Latif, F and Rajoka, MI, "Production of ethanol and xylitol from corn cobs by yeasts," Bioresour Technol, 77(1):57-63 (2001).
194.	Lendenmann, U and Egli, T, "Is Escherichia coli growing in glucose-limited chemostat culture able to utilize other sugars without lag?," Microbiology, 141(Pt 1):71-78 (1995).
195.	Leyva-Vasquez, MA and Setlow, P, "Cloning and nucleotide sequences of the genes encoding triose phosphate isomerase, phosphoglycerate mutase, and enclase from Bacillus subtilis," <u>J Bacteriol</u> , 176(13):3903-3910 (1994).
196.	Li, C and Wong, WH, "Model-based analysis of oligonucleotide arrays: expression index computation and outlier detection," <u>Proc Natl Acad Sci U.S.A.</u> , 98(1):31-36 (2001).
197.	Liao, et al., "Pathway Analysis, Engineering, and Physiological Considerations for Redirecting Central Metabolism," <u>Biotechnol Bioeng</u> , 52(1):129-140 (1996).
198.	Liao, JC and Oh, MK, "Toward predicting metabolic fluxes in metabolically engineered strains," Metab Eng, 1(3):214-223 (1999).
199.	Link, et al., "Methods for generating precise deletions and insertions in the genome of wild-type <i>Escherichia coli</i> : Application to open reading frame characterization," <u>J Bacteriol</u> , 179(20):6228-6237 (1997).
200.	Loftus, et al., "Isolation, characterization, and disruption of the yeast gene encoding cytosolic NADP-specific isocitrate dehydrogenase," <u>Biochemistry</u> , 33(32):9661-9667 (1994).
201.	Lopez, et al., "The yeast inositol monophosphatase is a lithium- and sodium-sensitive enzyme encoded by a non-essential gene pair," Mol Microbiol, 31(4):1255-1264 (1999).
202.	
203.	Maier, et al., "Hydrogen uptake hydrogenase in Helicobacter pylori," <u>FEMS Microbiol</u> <u>Lett</u> , 141(1):71-76 (1996).
204.	Marcelli, et al., "The respiratory chain of Helicobacter pylori: identification of cytochromes and the effects of oxygen on cytochrome and menaquinone levels," <u>FEMS Microbiol Lett</u> , 138(1):59-64 (1996).
205.	
206.	McAdams, HH and Arkin, A, "Simulation of Prokaryotic Genetic Circuits," <u>Annual Review of Biophysics and Biomolecular Structure</u> , 27:199-224 (1998).
207.	
208.	McAlister-Henn, L and Thompson, LM, "Isolation and expression of the gene encoding yeast mitochondrial malate dehydrogenase.," J Bacteriol, 169(11):5157-5166 (1987).
209.	McGee, D.J., "Helicobacter pylori rocF is required for arginase activity and acid protection in vitro but is not essential for colonization of mice or for urease activity," <u>J Bacteriol</u> , 165(1):65-76 (1998).

	Meldrum, "Automation for genomics, part one: preparation for sequencing," Genome
210.	Res, 10(8):1081-1092 (2000).
211.	Mendes, P and Kell, D, "Non-linear optimization of biochemical pathways: Applications to metabolic engineering and parameter estimation," <u>Bioinformatics</u> , 14(10):869-883 (1998).
212.	Mendz, et al., "Characterisation of glucose transport in Helicobacter pylori," <u>Biochim Biophys Acta</u> , 1244(2-3):269-276 (1995).
213.	Mendz, et al., "Characterization of fumarate transport in Helicobacter pylori," <u>J Membr Biol</u> , 165(1):65-76 (1998).
214.	Mendz, et al., "De novo synthesis of pyrimidine nucleotides by Helicobacter pylori," <u>J</u> Appl Bacteriol, 77(1):1-8 (1994).
215.	
216.	
217.	Mendz, et al., "In situ characterization of Helicobacter pylori arginase," <u>Biochim</u> Biophys Acta, 1388(2):465-477 (1998).
218.	Mendz, et al., "Purine metabolism and the microaerophily of Helicobacter pylori," <u>Arch Microbiol</u> , 168(6):448-456 (1997).
219.	Mendz, et al., "The Entner-Doudoroff pathway in Helicobacter pylori," <u>Arch Biochem Biophys</u> , 312(2):349-356 (1994).
220.	Mendz, GL and Hazell SL, "Aminoacid utilization by Helicobacter pylori," Int J Biochem Cell Biol, 27(10):1085-1093 (1995).
221.	•
222.	Mendz, GL and Hazell, SL, "Glucose phosphorylation in Helicobacter pylori," Arch Biochem Biophys, 300(1):522-525 (1993).
223.	Mendz, GL, et al., "Pyruvate metabolism in Helicobacter pylori," <u>Arch Microbiol</u> , 162(3):187-192 (1994).
224.	
225.	Mewes, et al., "MIPS: A database for genomes and protein sequences," <u>Nucleic Acids</u> Research, 30(1):31-34 (2002).
226.	Mitchell, "The GLN1 locus of Saccharomyces cerevisiae encodes glutamine synthetase," Genetics, 111(2):243-258 (1985).
227.	Moszer, "The Complete Genome of Bacillus Subtilis: From Sequence Annotation to Data Management and Analysis," FEBS Lett, 430(1-2):28-36 (1998).
228.	Moszer, et al., "SubtiList: the reference database for the bacillus subtilis genome," Nucleic Acids Res, 30(1):62-65 (2002).
229.	Mulquiney, PJ and Kuchel, PW, "Model of 2,3-bisphosphoglycerate metabolism in the human erythrocyte based on detailed enzyme kinetic equations: computer simulation and metabolic control analysis," <u>Biochem J</u> , 342(Pt 3):597-604 (1999).
230.	Murray, M and Greenberg, ML, "Expression of yeast INM1 encoding inositol monophosphatase is regulated by inositol, carbon source and growth stage and is decreased by lithium and valproate," Mol Microbiol, 36(3):651-661 (2000).
231.	Nedenskov, "Nutritional requirements for growth of Helicobacter pylori," <u>Appl Environ Microbiol</u> , 60(9):3450-3453 (1994).
232.	Nissen, et al., "Expression of a cytoplasmic transhydrogenase in Saccharomyces cerevisiae results in formation of 2-oxoglutarate due to depletion of the NADPH pool," Yeast, 18(1):19-32 (2001).
233.	Nissen, et al., "Flux distributions in anaerobic, glucose-limited continuous cultures of Saccharomyces cerevisiae," Microbiology, 143(Pt 1):203-218 (1997).

234.	Ogasawara, "Systematic function analysis of Bacillus subtilis genes," Res Microbiol, 151(2):129-134 (2000).
235.	Ogata, et al., "KEGG: Kyoto Encyclopedia of Genes and Genomes," <u>Nucleic Acids</u> Res, 27(1):29-34 (1999).
236.	Oh, MK and Liao, JC, "Gene expression profiling by DNA microarrays and metabolic fluxes in Escherichia coli," <u>Biotech Prog</u> , 16:278-286 (2000).
237.	Olsson, et al., "Separate and simultaneous enzymatic hydrolysis and fermentation of wheat hemicellulose with recombinant xylose utilizing Saccharomyces cerevisiae," Appl Biochem Biotechnol, 129-132:117-129 (2006).
238.	Otto, et al., "A mathematical model for the influence of fructose 6-phosphate, ATP, potassium, ammonium and magnesium on the phosphofructokinase from rat erythrocytes," Eur J Biochem, 49(1):169-178 (1974).
239.	Ouzounis, CA and Karp, PD, "Global Properties of the Metabolic Map of Escherichia coli," Genome Res, 10(4):568-576 (2000).
240.	Overbeek, et al., "WIT: Integrated System for High-Throughput Genome Sequence Analysis and Metabolic Reconstruction" <u>Nucleic Acids Res</u> , 28(1):123-125 (2000).
241.	Overkamp, et al., "In vivo analysis of the mechanisms for oxidation of cytosolic NADH by Saccharomyces cerevisiae mitochondria," <u>J Bacteriol</u> , 182(10):2823-2830 (2000).
242.	Ozcan, S., Freidel, K., Leuker, A. & Ciriacy, M., "Glucose uptake and catabolite repression in dominant HTR1 mutants of <i>Saccharomyces cerevisiae.</i> ," J Bacteriol, 175(17):5520-5528 (1993).
243.	Pallotta, et al., "Saccharomyces cerevisiae mitochondria can synthesise FMN and FAD from externally added riboflavin and export them to the extramitochondrial phase," FEBS Lett, 428(3):245-249 (1998).
244.	Palmieri, et al., "Identification and functions of new transporters in yeast mitochondria," Biochim Biophys Acta, 1459(2-3):363-369 (2000).
245.	Palmieri, et al., "Identification of the yeast ACR1 gene product as a succinate-fumarate transporter essential for growth on ethanol or acetate," <u>FEBS Lett</u> , 417(1):114-118 (1997).
246.	Palmieri, et al., "Identification of the yeast mitochondrial transporter for oxaloacetate and sulfate," J Biol Chem, 274(32):22184-22190 (1999).
247.	Palmieri, et al., "Yeast mitochondrial carriers: bacterial expression, biochemical identification and metabolic significance," <u>J Bioenerg Biomembr</u> , 32(1):67-77 (2000).
248.	Palsson, "The Challenges of in Silico Biology," Nat Biotechnol, 18(11):1147-1150 (2000).
249.	Papin, et al., "The genome-scale metabolic extreme pathway structure in Haemophilus influenzae shows significant network redundancy," <u>J Theor Biol</u> , 215(1):67-82 (2002).
250.	Parks, "Metabolism of sterols in yeast," <u>CRC Crit Rev Microbiol</u> , 6(4):301-341 (1978).
251.	Parks, et al., "Use of sterol mutants as probes for sterol functions in the yeast, Saccharomyces cerevisiae," Crit Rev Biochem Mol Biol, 34(6):399-404 (1999).
252.	
253.	Paulsen, et al., "Unified inventory of established and putative transporters encoded within the complete genome of Saccharomyces cerevisiae," <u>FEBS Lett</u> , 430(1-2):116-125 (1998).
254.	Pearson, et al., "Comparison of DNA Sequences With Protein Sequences," Genomics, 46(1):24-36 (1997).
255.	Persson, et al., "Phosphate permeases of Saccharomyces cerevisiae: structure, function and regulation," <u>Biochim Biophys Acta</u> , 1422(3):255-272 (1999).

256.	Peterson, et al., "The Comprehensive Microbial Resource," <u>Nucleic Acids Res</u> , 29(1):123-125 (2001).
257.	Pharkya, et al., "Exploring the overproduction of amino acids using the bilevel optimization framework OptKnock," <u>Biotechnol Bioeng</u> , 84(7):887-899 (2003).
258.	Phelps, et al., "Metabolomics and microarrays for improved understanding of phenotypic characteristics controlled by both genomics and environmental constraints," Curr Opin Biotechnol, 13(1):20-24 (2002).
259.	Pitson, et al., "The tricarboxylic acid cycle of Helicobacter pylori," <u>Eur J Biochem</u> , 260(1):258-267 (1999).
260.	Price, et al., "Determination of redundancy and systems properties of the metabolic network of Helicobacter pylori using genome-scale extreme pathway analysis," Genome Res, 12(5):760-769 (2002).
261.	Price, et al., "Genome-scale models of microbial cells: evaluating the consequences of constraints," Nat Rev Microbiol, 2(11):886-897 (2004).
262.	Price, et al., "Network-based analysis of metabolic regulation in the human red blood cell," <u>J Theor Biol</u> , 225(2):185-194 (2003).
263.	Przybyla-Zawislak, et al., "Genes of succinyl-CoA ligase from Saccharomyces cerevisiae.," Eur J Biochem, 258(2):736-743 (1998).
264.	Qian, et al., "Ethanol production from dilute-Acid softwood hydrolysate by co-culture," Appl Biochem Biotechnol, 134(3):273-284 (2006).
265.	Reed, et al., "An expanded genome-scale model of Escherichia coli K-12 (iJR904 GSM/GPR)," Genome Biol, 4(9):R54 (2003).
266.	Reed, JL and Palsson, BO, "Thirteen years of building constraint-based in silico models of Escherichia coli" <u>J Bacteriol</u> , 185(9):2692-2699 (2003).
267.	Regenberg, et al., "Substrate specificity and gene expression of the amino-acid permeases in Saccharomyces cerevisiae," <u>Curr Genet</u> , 36(6):317-328 (1999).
268.	Remize, et al., "Engineering of the pyruvate dehydrogenase bypass in Saccharomyces cerevisiae: role of the cytosolic Mg(2+) and mitochondrial K(+) acetaldehyde dehydrogenases Ald6p and Ald4p in acetate formation during alcoholic fermentation," Appl Environ Microbiol, 66(8):3151-3159 (2000).
269.	Ren, et al., "Genome-wide location and function of DNA binding proteins," <u>Science</u> , 290(5500):2306-2309 (2000).
270.	Repetto, B and Tzagoloff, A, "In vivo assembly of yeast mitochondrial alphaketoglutarate dehydrogenase complex," Mol Cell Biol, 11(8):3931-3939 (1991).
271.	Reynolds, DJ and Penn, CW, "Characteristics of Helicobacter pylori growth in a defined medium and determination of its amino acid requirements," <u>Microbiology</u> , 140(Pt 10):2649-2656 (1994).
272.	Rhee, et al., "Activation of gene expression by a ligand-induced conformational change of a protein-DNA complex," <u>J Biol Chem</u> , 273(18):11257-11266 (1998).
273.	Romero, PR and Karp, P, "Nutrient-Related Analysis of Pathway/Genome Databases," Pac Symp Biocomput, 471-482 (2001).
274.	Saier, MH, "Genome sequencing and informatics: new tools for biochemical discoveries," Plant Physiol, 117(4):1129-1133 (1998).
275.	Salgado, et al., Nucleic Acids Res, 29(1):72-74 (2001).
276.	Salmon, et al., "Global gene expression profiling in Escherichia coli K12. The effects of oxygen availability and FNR," J Biol Chem, 278(32):29837-29855 (2003).
277.	Sauer, et al., "Metabolic flux ratio analysis of genetic and environmental modulations of Escherichia coli central carbon metabolism," <u>J Bacteriol</u> , 181(21):6679-6688 (1999).

278.	Sauer, U and Bailey, JE, "Estimation of P-to-O Ratio in <i>Bacillus subtilis</i> and Its Influence on Maximum Riboflavin Yield," <u>Biotechnol Bioeng</u> , 64(6):750-754 (1999).
279.	Sauer, Uwe, "Evolutionary Engineering of Industrially Important Microbial Phenotypes," Adv in Biochem Eng Biotechnol, 73:129-169 (2001).
280.	Savageau, "Biochemical systems analysis. I. Some mathematical properties of the rate law for the component enzymatic reactions," J Theor Biol, 25(3):365-369 (1969).
281.	Schaaff-Gerstenschlager, I and Zimmermann, FK, "Pentose-phosphate pathway in Saccharomyces cerevisiae: analysis of deletion mutants for transketolase, transaldolase, and glucose 6-phosphate dehydrogenase," Curr Genet, 24(5):373-376 (1993).
282.	Schaff, et al., "the Virtual cell" <u>Proceedings of the Pacific Symposium on Biocomputing</u> , 4:228-239 (1999).
283.	
284.	Schilling, "On Systems Biology and the Pathway Analysis of Metabolic Networks," Department of Bioengineering, University of California, San Diego: La Jolla, p. 198-241 (2000).
285.	Schilling, CH and Palsson, BO, "Assessment of the Metabolic Capabilities of <i>Haemophilus influenzae</i> Rd Through a Genome-scale Pathway Analysis," <u>J Theor Biol</u> , 203(3):249-283 (2000).
286.	Schilling, CH and Palsson, BO, "The Underlying Pathway Structure of Biochemical Reaction Networks," Proc Natl Acad Sci U.S.A., 95(8):4193-4198 (1998).
287.	Schilling, et al., "Combining Pathway Analysis with Flux Balance Analysis for the Comprehensive Study of Metabolic Systems," <u>Biotechnol Bioeng</u> , 71(4):286-306 (2000-2001).
288.	Schilling, et al., "Genome-scale metabolic model of Helicobacter pylori 26695,"  J Bacteriol, 184(16):4582-4593 (2002).
289.	Schilling, et al., "Metabolic Pathway Analysis: Basic Concepts and Scientific Applications in the Post-genomic Era," <u>Biotechol Prog</u> , 15(3):296-303 (1999).
290.	Schilling, et al., "Theory for the Systematic Definition of Metabolic Pathways and Their Use in Interpreting Metabolic Function from a Pathway-Oriented Perspective," J Theor Biol, 203(3):229-248 (2000).
291.	Schneider, et al., "The Escherichia coli gabDTPC operon: specific gamma-aminobutyrate catabolism and nonspecific induction," J Bacteriol, 184(24):6976-6986 (2002).
292.	Schuster, et al., "A general definition of metabolic pathways useful for systematic organization and analysis of complex metabolic networks," Nature Biotechnol, 18(3):326-332 (2000).
293.	Schuster, et al., "Detection of elementary flux modes in biochemical networks: a promising tool for pathway analysis and metabolic engineering," <u>Trends Biotechnol</u> , 17(2):53-60 (1999).
294.	Schuster, et al., "Exploring the pathway structure of metabolism: decomposition into subnetworks and application to Mycoplasma pneumoniae," <u>Bioinformatics</u> , 18(2):351-361 (2002).
295.	Schuster, S and Hilgetag, C, "On elementary flux modes in biochemical reaction systems at steady state," J Biol Syst, 2(2):165-182 (1994).
296.	Schwikowski, et al., "A network of protein-protein interactions in yeast," Nature Biotechnol, 18(12):1257-1261 (2000).
297.	
298.	

299.	Selkov, et al., "Functional Analysis of Gapped Microbial Genomes: Amino Acid Metabolism of Thiobacillus Ferroxidans," <u>Proc Natl Acad Sci U.S.A.</u> , 97(7):3509-3514 (2000).
300.	Selkov, et al., "MPW: the metabolic pathways database," <u>Nucleic Acids Res</u> , 26(1):43-45 (1998)
301.	Selkov, et al., "The metabolic pathway collection from EMP: the enzymes and metabolic pathways database," Nucleic Acids Res, 24(1):26-28 (1996).
302.	Shen-Orr, et al., "Network motifs in the transcriptional regulation network of Escherichia coli," Nat Genet, 31(1):64-68 (2002).
303.	
304.	
305.	Silve, et al., "The immunosuppressant SR 31747 blocks cell proliferation by inhibiting a steroid isomerase in Saccharomyces cerevisiae," Mol Cell Biol, 16(6):2719-2727 (1996).
306.	Skouloubris, et al., "The Helicobacter pylori Urel protein is not involved in urease activity but is essential for bacterial survival in vivo," <u>Infect Immun</u> , 66(9):4517-4521 (1998).
307.	Smith, et al., "Functional analysis of the genes of yeast chromosome V by genetic footprinting.," Science, 274(5295):2069-2074 (1996).
308.	
309.	
310.	Sorlie, et al., "Gene expression patterns of breast carcinomas distinguish tumor subclasses with clinical implications," <u>Proc Natl Acad Sci U.S.A.</u> , 98(19):10869-10874 (2001).
311.	Stark, et al., "Amino acid utilisation and deamination of glutamine and asparagine by Helicobacter pylori," J Med Microbiol, 46(9):793-800 (1997).
312.	Stephanopoulos, "Metabolic engineering," Curr Opin Biotechnol, 5(2):196-200 (1994).
313.	Summers, et al., "Saccharomyces cerevisiae cho2 mutants are deficient in phospholipid methylation and cross-pathway regulation of inositol synthesis" Genetics, 120(4):909-922 (1988).
314.	Swartz, "A PURE approach to constructive biology.," Nat Biotechnol, 19(8):732-733 (2001).
315.	Syvanen, "Accessing genetic variation: Genotyping single nucleotide polymorphisms.," Nat Rev Genet, 2(12):930-942 (2001).
316.	Szambelan, et al., "Use of Zymomonas mobilis and Saccharomyces cerevisiae mixed with Kluyveromyces fragilis for improved ethanol production from Jerusalem artichoke tubers," <u>Biotechnol Lett</u> , 26(10):845-848 (2004).
317.	Tamayo, et al., "Interpreting patterns of gene expression with self-organizing maps: methods and application to hematopoietic differentiation," <u>Proc Natl Acad Sci U.S.A.</u> , 96(6):2907-2912 (1999).
318.	
319.	Taniguchi, M and Tanaka, T, "Clarification of interactions among microorganisms and development of co-culture system for production of useful substances," <u>Adv Biochem Eng Biotechnol</u> , 90:35-62 (2004).
320.	Tao, et al., "Engineering a homo-ethanol pathway in Escherichia coli: increased glycolytic flux and levels of expression of glycolytic genes during xylose fermentation," J Bacteriol, 183(10):2979-2988 (2001).

chemostat cultures of Saccharomyces cerevisiae," J Bacteriol, 181(24):7409-7413 (1999).  Thomas, "Boolean Formalization of Genetic Control Circuits," J Theor Biol, 42(3):563-855 (1973).  Thomas, "Logical Analyses of Systems Comprising Feedback Loops," J Theor Biol, 73(4):631-656 (1978).  Thomas, D and Surdin-Kerjan, Y, "Metabolism of sulfur amino acids in Saccharomyces cerevisiae," Microbiol Mol Biol Rev, 61(4):503-532 (1997).  Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter pylori," Nature, 388(6642):539-547 (1997).  Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).  Uetz, et al., "A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).  Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).  van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).  van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonic Van Leeuwenhock, 63(3-4):343-352 (1993).  van Dijken, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog, 12(4):434-448 (1996).  varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).  varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).  varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 45(1):69-79 (1995).  varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively pr		
<ul> <li>585 (1973).</li> <li>Thomas, "Logical Analyses of Systems Comprising Feedback Loops," J Theor Biol. 73(4):631-656 (1978).</li> <li>Thomas, D and Surdin-Kerjan, Y, "Metabolism of sulfur amino acids in Saccharomyces cerevisiae," Microbiol Mol Biol Rev, 61(4):503-532 (1997).</li> <li>Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter pylori," Nature, 388(6642):539-547 (1997).</li> <li>Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).</li> <li>Uetz, et al., "A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).</li> <li>Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).</li> <li>van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).</li> <li>van Dijken, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Fredictions for Oxygen Supply Control to Enhance Population Stability of Engincered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, et al., "Biochemica</li></ul>	321.	(1999).
Thomas, "Logical Analyses of Systems Comprising Feedback Loops," J Theor Biol, 73(4):631-656 (1978).  Thomas, D and Surdin-Kerjan, Y, "Metabolism of sulfur amino acids in Saccharomyces cerevisiae," Microbiol Mol Biol Rev, 61(4):503-532 (1997).  Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter pylori," Nature, 388(6642):539-547 (1997).  Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).  227. Let, et al., "A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).  Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).  229. Van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).  330. Van Dijken, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).  331. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).  332. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: II: Optimal Growth Prog. 12(4):434-448 (1996).  333. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: II: Optimal Growth Prog. 12(4):434-448 (1996).  334. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: II: Optimal Growth Prog. 12(4):434-448 (1996).  335. Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).  336. Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichi	322.	
Thomas, D and Surdin-Kerjan, Y, "Metabolism of sulfur amino acids in Saccharomyces cerevisiae," Microbiol Mol Biol Rev, 61(4):503-532 (1997).  Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter pylori," Nature, 388(6642):539-547 (1997).  Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).  227. Uetz, et al., "A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).  Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene ending acetyl-cenezyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).  329. van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).  330. van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonie Van Leeuwenhock, 63(3-4):343-352 (1993).  331. varnolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog, 12(4):434-448 (1996).  332. varna, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II. Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).  333. varna, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).  334. varna, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).  335. Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).  336. Varma, et al., "Biochemical Production Capabilities of Escherichia coli ii Biotechnol Bioeng, 42(1):59	323.	Thomas, "Logical Analyses of Systems Comprising Feedback Loops," <u>J Theor Biol</u> , 73(4):631-656 (1978).
<ul> <li>Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter pylori," Nature, 388(6642):539-547 (1997).</li> <li>Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).</li> <li>Uetz, et al., "A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).</li> <li>Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).</li> <li>van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).</li> <li>van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonie Van Leeuwenhoek, 63(3-4):343-352 (1993).</li> <li>Varnolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli;" Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "B</li></ul>	324.	Thomas, D and Surdin-Kerjan, Y, "Metabolism of sulfur amino acids in Saccharomyces
Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).  Uetz, et al., "A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).  Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).  329. van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).  330. Leeuwenhock, 63(3-4):343-352 (1993).  331. vanrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).  332. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).  333. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).  334. Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).  335. Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).  336. Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).  337. Warma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).  338. Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (	325.	Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter
Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).  Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).  van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).  van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonie Van Leeuwenhoek, 63(3-4):343-352 (1993).  Varnolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog, 12(4):434-448 (1996).  Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).  Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).  Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).  Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).  Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).  Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).  Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).  Varma, Jand Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).	326.	Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).
<ul> <li>a28. encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J Biochem, 231(3):704-713 (1995).</li> <li>a29. van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).</li> <li>a30. van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonie Van Leeuwenhoek, 63(3-4):343-352 (1993).</li> <li>a31. Vanrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).</li> <li>a32. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).</li> <li>a33. Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>a34. Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>a35. Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>a36. Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>a37. Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>a38. Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>a38. Varmer, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>a40. Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li></ul>	327.	Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).
<ul> <li>van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).</li> <li>van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonie Van Leeuwenhoek, 63(3-4):343-352 (1993).</li> <li>Varrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li> </ul>	328.	encoding acetyl-coenzyme A synthetase, essential for growth on glucose," Eur J
<ul> <li>van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," Antonie Van Leeuwenhoek, 63(3-4):343-352 (1993).</li> <li>Vanrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog, 12(4):434-448 (1996).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li> </ul>	329.	van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast,
Vanrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog, 12(4):434-448 (1996).  Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).  Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).  Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).  Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).  Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).  Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).  Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).  Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).  Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).	330.	Leeuwenhoek, 63(3-4):343-352 (1993).
<ul> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli. II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).</li> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li> </ul>	331.	Vanrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," <u>Biotechnol Prog</u> , 12(4):434-448 (1996).
<ul> <li>Varma, A and Palsson, BO, "Metabolic capabilities of Escherichia coli: I. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).</li> <li>Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li> </ul>	332.	Varma, A and Palsson, BO, "Metabolic capabilities of <i>Escherichia coli</i> . II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).
<ul> <li>models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng, 45(1):69-79 (1995).</li> <li>Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," Biotechnol Bioeng, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li> </ul>	333.	Varma, A and Palsson, BO, "Metabolic capabilities of <i>Escherichia coli</i> : I. Synthesis of Biosynthetic Precursors and Cofactors," <u>J Theor Biol</u> , 165:477-502 (1993).
<ul> <li>Population Stability of Engineered Production Strains," <u>Biotechnol Bioeng</u>, 43(4):275-285 (1994).</li> <li>Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," <u>Appl Environ Microbiol</u>, 60(10):3724-3731 (1994).</li> <li>Varma, et al., "Biochemical Production Capabilities of <i>Escherichia coli</i>," <u>Biotechnol Bioeng</u>, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," <u>Appl Environ Microbiol</u>, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," <u>Curr Opin Biotechnol</u>, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," <u>Trends Genet</u>, 16(10):423-425 (2000).</li> </ul>	334.	Varma, A and Palsson, BO, "Parametric sensitivity of stoichiometric flux balance models applied to wild-type Escherichia coli metabolism," Biotechnol Bioeng,
Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," Appl Environ Microbiol, 60(10):3724-3731 (1994).  337. Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).  338. Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).  339. Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).  340. Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).	335.	Population Stability of Engineered Production Strains," <u>Biotechnol Bioeng</u> , 43(4):275-285 (1994).
<ul> <li>Varma, et al., "Biochemical Production Capabilities of Escherichia coli," Biotechnol Bioeng, 42(1):59-73 (1993).</li> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," Curr Opin Biotechnol, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," Trends Genet, 16(10):423-425 (2000).</li> </ul>	336.	Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," <u>Appl</u> Environ Microbiol, 60(10):3724-3731 (1994).
<ul> <li>Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," <u>Appl Environ Microbiol</u>, 59(8):2465-2473 (1993).</li> <li>Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," <u>Curr Opin Biotechnol</u>, 10(2):146-150 (1999).</li> <li>Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," <u>Trends Genet</u>, 16(10):423-425 (2000).</li> </ul>	337.	Varma, et al., "Biochemical Production Capabilities of <i>Escherichia coli</i> ," <u>Biotechnol</u> Bioeng, 42(1):59-73 (1993).
Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," <u>Curr Opin Biotechnol</u> , 10(2):146-150 (1999).  Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," <u>Trends Genet</u> , 16(10):423-425 (2000).	338.	Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," <u>Appl Environ Microbiol</u> , 59(8):2465-2473 (1993).
16(10):423-425 (2000).	339.	Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," <u>Curr</u> Opin Biotechnol, 10(2):146-150 (1999).
341.	340.	
	341.	

342.	Verduyn, "Physiology of yeasts in relation to biomass yields," Antonie Van Leeuwenhoek, 60(3-4):325-353 (1991).
343.	Verduyn, et al., "A theoretical evaluation of growth yields of yeasts," Antonie Van Leeuwenhoek, 59(1):49-63 (1991).
344.	Verduyn, et al., "Energetics of Saccharomyces cerevisiae in anaerobic glucose-limited chemostat cultures," J Gen Microbiol, 136:405-412 (1990).
345.	Vissing, et al., "Paradoxically Enhanced Glucose Production During Exercise in Humans with Blocked Glycolysis Caused by Muscle Phosphofructokinase Deficiency," Neurology, 47(3):766-771 (1996).
346.	Wang, et al., "Computer-aided baker's yeast fermentations," <u>Biotechnol and Bioeng</u> , 19(1):69-86 (1977).
347.	Wang, et al., "Computer Control of Bakers' Yeast Production," <u>Biotechnol and Bioeng</u> , 21:975-995 (1979).
348.	
349.	Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development," Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998).
350.	Wiback, SJ and Palsson, BO, "Extreme pathway analysis of human red blood cell metabolism," Biophys J, 83:808-818 (2002).
351.	Wieczorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," <u>FEBS Lett</u> , 464(3):123-128 (1999).
352.	
353.	Wingender, et al., "The TRANSFAC system on gene expression regulation," <u>Nucleic Acids Res</u> , 29(1):281-283 (2001).
354.	
	Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion,
355.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).
	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog,
	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," <u>Proc Natl Acad Sci U.S.A.</u> , 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," <u>Proc Natl Acad Sci U.S.A.</u> , 99(9):6163-6168 (2002).
356.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," <u>Proc Natl Acad Sci U.S.A.</u> , 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," <u>Proc Natl Acad Sci U.S.A.</u> , 99(9):6163-6168 (2002).  Yeung, et al., <u>Bioinformatics</u> , "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).
356. 357.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," <u>Proc Natl Acad Sci U.S.A.</u> , 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," <u>Proc Natl Acad Sci U.S.A.</u> , 99(9):6163-6168 (2002).  Yeung, et al., <u>Bioinformatics</u> , "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," <u>Nucleic Acids Res</u> , 29(3):683-692 (2001).
356. 357. 358.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," <u>Proc Natl Acad Sci U.S.A.</u> , 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," <u>Proc Natl Acad Sci U.S.A.</u> , 99(9):6163-6168 (2002).  Yeung, et al., <u>Bioinformatics</u> , "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," <u>Nucleic Acids</u>
356. 357. 358.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," <u>Proc Natl Acad Sci U.S.A.</u> , 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," <u>Proc Natl Acad Sci U.S.A.</u> , 99(9):6163-6168 (2002).  Yeung, et al., <u>Bioinformatics</u> , "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," <u>Nucleic Acids Res</u> , 29(3):683-692 (2001).  Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to
356. 357. 358. 359.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," <u>Biotechnol Prog</u> , 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," <u>Proc Natl Acad Sci U.S.A.</u> , 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," <u>Proc Natl Acad Sci U.S.A.</u> , 99(9):6163-6168 (2002).  Yeung, et al., <u>Bioinformatics</u> , "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," <u>Nucleic Acids Res</u> , 29(3):683-692 (2001).  Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to
356. 357. 358. 359. 360. 361.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog, 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002).  Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692 (2001).  Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000)  Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces
356. 357. 358. 359. 360. 361. 362.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog, 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002).  Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692 (2001).  Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000)  Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces
356. 357. 358. 359. 360. 361. 362. 363.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog, 13(2):132-143 (1997).  Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001).  Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002).  Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001).  Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692 (2001).  Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000)  Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics, 15(7-8):607-611 (1999).  Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae," FEBS Lett,

366.	
367.	
368.	URL ca.expasy.org/sprot/, protein database SWISS—PROT.
369.	
370.	URL dchip.org, dChip software.
371.	URL Dictionary.com pgs 1-2 (2004), Matrix.
372.	
373.	
374.	
375.	URL genome.ad.jp/kegg/, Kyoto Encyclopedia of Genes and Genomes database (KEGG).
376.	URL Genome.jp Website, KEGG Bacillus subtillis, 1-7 (2005).
377.	
378.	
379.	
380.	
381.	
382.	URL ncbi.nlm.nih.gov/entrez/query.fcgi?db=Genome, The NCBI Entrez Genome database